STANDARD PROFILES

Katana | Noroshi | Tashi

SHIPLAP SIDING



	BOARD DIMENSION	KATANA OVERALL (A)	KATANA EXPOSED (B)	KATANA LINEAR FT PER SQUARE FT	NOROSHI OVERALL (A)	NOROSHI EXPOSED (B)	NOROSHI LINEAR FT PER SQUARE FT	TASHI OVERALL (A)	TASHI EXPOSED (B)	TASHI LINEAR FT PER SQUARE FT
NOMINAL	1 X 4	3 3/4"	3 3/8"	3.56	3 1/2"	3 1/8"	3.84	3 1/2"	3 1/8"	3.84
	1 X 6	5 5/8"	5 1/4"	2.28	5 1/2"	5 1/8"	2.34	5 1/2"	5 1/8"	2.34
	1 X 8	7 5/8"	7 1/4"	1.65	N/A	N/A	N/A	7 1/2"	7 1/8"	1.68

	BOARD DIMENSION	KATANA OVERALL (A)	KATANA EXPOSED (B)	KATANA LINEAR FT PER SQUARE FT	NOROSHI OVERALL (A)	NOROSHI EXPOSED (B)	NOROSHI LINEAR FT PER SQUARE FT	TASHI OVERALL (A)	TASHI EXPOSED (B)	TASHI LINEAR FT PER SQUARE FT
NET 3/8"	3/8 X 4	3 3/4"	3 3/8"	3.56	3 3/8"	3 1/8"	3.84	3 1/2"	3 1/8"	3.84
	3/8 X 6	5 5/8"	5 1/4"	2.28	5 3/8"	5 1/8"	2.34	5 1/2"	5 1/8"	2.34

*adding a channel groove does not affect board sizes or coverage

NAILING METHOD



TONGUE & GROOVE



	BOARD DIMENSION	KATANA OVERALL (A)	KATANA EXPOSED (B)	KATANA LINEAR FT PER SQUARE FT	NOROSHI OVERALL (A)	NOROSHI EXPOSED (B)	NOROSHI LINEAR FT PER SQUARE FT	TASHI OVERALL (A)	TASHI EXPOSED (B)	TASHI LINEAR FT PER SQUARE FT
NOMINAL	1 X 4	3 5/8"	3 3/8"	3.56	3 3/8"	3 1/8"	3.84	3 3/8"	3 1/8"	3.84
	1 X 6	5 1/2"	5 1/4"	2.28	5 3/8"	5 1/8"	2.34	5 3/8"	5 1/8"	2.34
	1 X 8	7 1/2"	7 1/4"	1.65	N/A	N/A	N/A	7 3/8"	7 1/8"	1.68

NAILING METHOD



© DELTA MILLWORKS 2016 · 4701 E. 5TH ST. AUSTIN, TX 78702 · 512-385-1812

STANDARD PROFILES

Katana | Noroshi | Tashi

(CONT'D)

TEX-GAP



NOMINAL

BOARD DIMENSION	KATANA OVERALL (A)	KATANA EXPOSED (B)	KATANA LINEAR FT PER SQUARE FT	NOROSHI OVERALL (A)	NOROSHI EXPOSED (B)	NOROSHI LINEAR FT PER SQUARE FT	TASHI OVERALL (A)	TASHI EXPOSED (B)	TASHI LINEAR FT PER SQUARE FT
1 X 6	5 1/2"	4 3/4"	2.52	5 3/8"	4 5/8"	2.6	5 3/8"	4 5/8"	2.6
1 X 8	7 1/2"	6 3/4"	1.77	N/A	N/A	N/A	7 3/8"	6 5/8"	1.81

NAILING METHOD



S4S (SQUARE EDGE BOARD)



NOMINAL

BOARD DIMENSION	KATANA OVERALL (A)	KATANA EXPOSED (B)	KATANA LINEAR FT PER SQUARE FT	NOROSHI OVERALL (A)	NOROSHI EXPOSED (B)	NOROSHI LINEAR FT PER SQUARE FT	TASHI OVERALL (A)	TASHI EXPOSED (B)	TASHI LINEAR FT PER SQUARE FT
1 X 4	3 1/2"	3 1/2"	3.43	3 1/2"	3 1/2"	3.43	3 1/2"	3 1/2"	3.43
1 X 6	5 1/2"	5 1/2"	2.18	5 1/2"	5 1/2"	2.18	5 1/2"	5 1/2"	2.18
1 X 8	7 1/2"	7 1/2"	1.66	N/A	N/A	N/A	7 1/2"	7 1/2"	1.66

NET 3/8"

BOARD DIMENSION	KATANA OVERALL (A)	KATANA EXPOSED (B)	KATANA LINEAR FT PER SQUARE FT	NOROSHI OVERALL (A)	NOROSHI EXPOSED (B)	NOROSHI LINEAR FT PER SQUARE FT	TASHI OVERALL (A)	TASHI EXPOSED (B)	TASHI LINEAR FT PER SQUARE FT
3/8 X 4	3 1/2"	3 1/2"	3.43	3 1/2"	3 1/2"	3.43	3 1/2"	3 1/2"	3.43
3/8 X 6	5 1/2"	5 1/2"	2.18	5 1/2"	5 1/2"	2.18	5 1/2"	5 1/2"	2.18

NAILING METHOD



© DELTA MILLWORKS 2016 · 4701 E. 5TH ST. AUSTIN, TX 78702 · 512-385-1812

STANDARD PROFILES

Douglas Fir VG | Edge Grain YP | Yellow Pine

SHIPLAP SIDING



NOMINAL	DOUGLAS FIR VG			EDGE GRAIN YP			YELLOW PINE		
BOARD DIMENSION	OVERALL (A)	EXPOSED (B)	LINEAR FT PER SQUARE FT	OVERALL (A)	EXPOSED (B)	LINEAR FT PER SQUARE FT	OVERALL (A)	EXPOSED (B)	LINEAR FT PER SQUARE FT
1 X 4	3 3/4"	3 3/8"	3.2	3 5/8"	3 1/4"	3.69	3 5/8"	3 1/4"	3.69
1 X 6	5 5/8"	5 1/4"	2.28	5 3/8"	5"	2.4	5 3/8"	5"	2.4
1 X 8	7 3/8"	7"	1.71	N/A	N/A	N/A	7 3/8"	7"	1.71

NAILING METHOD



TONGUE & GROOVE



NOMINAL	DOUGLAS FIR VG			EDGE GRAIN YP			YELLOW PINE		
BOARD DIMENSION	OVERALL (A)	EXPOSED (B)	LINEAR FT PER SQUARE FT	OVERALL (A)	EXPOSED (B)	LINEAR FT PER SQUARE FT	OVERALL (A)	EXPOSED (B)	LINEAR FT PER SQUARE FT
1 X 4	3 5/8"	3 3/8"	3.2	3 1/2"	3 1/4"	3.69	3 1/2"	3 1/4"	3.69
1 X 6	5 3/8"	5 1/8"	2.28	5 1/4"	5"	2.4	5 1/4"	5"	2.4
1 X 8	7 3/8"	7 1/8"	1.71	N/A	N/A	N/A	7 1/4"	7"	1.71

NAILING METHOD



© DELTA MILLWORKS 2016 · 4701 E. 5TH ST. AUSTIN, TX 78702 · 512-385-1812

STANDARD PROFILES

Douglas Fir VG | Edge Grain YP| Yellow Pine

(CONT'D)

TEX-GAP



		DOUGLAS FIR VG			EDGE GRAIN YP			YELLOW PINE		
	BOARD DIMENSION	OVERALL (A)	EXPOSED (B)	LINEAR FT PER SQUARE FT	OVERALL (A)	EXPOSED (B)	LINEAR FT PER SQUARE FT	OVERALL (A)	EXPOSED (B)	LINEAR FT PER SQUARE FT
NOMINAL	1 X 6	5 1/2"	4 1/2"	2.66	5 1/4"	4 1/2"	2.66	5 1/4"	4 1/2"	2.66
	1 X 8	7 1/4"	6 1/2"	1.81	N/A	N/A	N/A	7 1/4"	6 1/2"	1.81

* 5/8" for Redwood

NAILING METHOD



S4S (SQUARE EDGE BOARD)



		DOUGLAS FIR VG			EDGE GRAIN YP			YELLOW PINE		
	BOARD DIMENSION	OVERALL (A)	EXPOSED (B)	LINEAR FT PER SQUARE FT	OVERALL (A)	EXPOSED (B)	LINEAR FT PER SQUARE FT	OVERALL (A)	EXPOSED (B)	LINEAR FT PER SQUARE FT
NOMINAL	1 X 4	3 1/2"	3 1/2"	3.42	3 1/2	3 1/2	3.42	3 1/2"	3 1/2"	3.42
	1 X 6	5 1/2"	5 1/2"	2.81	5 1/2	5 1/2	2.81	5 1/2"	5 1/2"	2.81
	1 X 8	7 1/2"	7 1/2"	1.71	N/A	N/A	N/A	7"	7"	1.71

NAILING METHOD



© DELTA MILLWORKS 2016 · 4701 E. 5TH ST. AUSTIN, TX 78702 · 512-385-1812

STANDARD PROFILES

Cypress | Redwood | Douglas Fir

SHIPLAP SIDING



		CYPRESS SELECT | #2			REDWOOD			DOUGLAS FIR		
	BOARD DIMENSION	OVERALL (A)	EXPOSED (B)	LINEAR FT PER SQUARE FT	OVERALL (A)	EXPOSED (B)	LINEAR FT PER SQUARE FT	OVERALL (A)	EXPOSED (B)	LINEAR FT PER SQUARE FT
NOMINAL	1 X 4	3 1/2"	3 1/8"	3.84	3 3/8"	3"	4	3 3/4"	3 3/8"	3.56
	1 X 6	5 1/2"	5 1/8"	2.34	5 3/8"	5"	2.4	5 5/8"	5 1/4"	2.28
	1 X 8	7 1/2"	7 1/8"	1.68	7 3/8"	7"	1.71	7 3/8"	7"	1.71

* 5/8" for Redwood

NAILING METHOD



TONGUE & GROOVE



		CYPRESS SELECT | #2			REDWOOD			DOUGLAS FIR		
	BOARD DIMENSION	OVERALL (A)	EXPOSED (B)	LINEAR FT PER SQUARE FT	OVERALL (A)	EXPOSED (B)	LINEAR FT PER SQUARE FT	OVERALL (A)	EXPOSED (B)	LINEAR FT PER SQUARE FT
NOMINAL	1 X 4	3 3/8"	3 1/8"	3.84	3 1/4"	3"	4	3 5/8"	3 3/8"	3.56
	1 X 6	5 3/8"	5 1/8"	2.34	5 1/4"	5"	2.4	5 3/8"	5 1/4"	2.28
	1 X 8	7 3/8"	7 1/8"	1.68	7 1/4"	7"	1.71	7 1/4"	7"	1.71

* 5/8" for Redwood

NAILING METHOD



© DELTA MILLWORKS 2016 · 4701 E. 5TH ST. AUSTIN, TX 78702 · 512-385-1812

STANDARD PROFILES

Cypress | Redwood | Douglas Fir

(CONT'D)

TEX-GAP



NOMINAL BOARD DIMENSION	CYPRESS SELECT | #2 OVERALL (A)	CYPRESS SELECT | #2 EXPOSED (B)	CYPRESS SELECT | #2 LINEAR FT PER SQUARE FT	REDWOOD OVERALL (A)	REDWOOD EXPOSED (B)	REDWOOD LINEAR FT PER SQUARE FT	DOUGLAS FIR OVERALL (A)	DOUGLAS FIR EXPOSED (B)	DOUGLAS FIR LINEAR FT PER SQUARE FT
1 X 6	5 3/8"	4 5/8"	2.59	5 1/4"	4 1/2"	2.66	5 1/4"	4 1/2"	2.66
1 X 8	7 3/8"	6 5/8"	1.77	7 1/4"	6 1/2"	1.84	7 1/4"	6 1/2"	1.81

* 5/8" for Redwood

NAILING METHOD



S4S (SQUARE EDGE BOARD)



NOMINAL BOARD DIMENSION	CYPRESS SELECT | #2 OVERALL (A)	CYPRESS SELECT | #2 EXPOSED (B)	CYPRESS SELECT | #2 LINEAR FT PER SQUARE FT	REDWOOD OVERALL (A)	REDWOOD EXPOSED (B)	REDWOOD LINEAR FT PER SQUARE FT	DOUGLAS FIR OVERALL (A)	DOUGLAS FIR EXPOSED (B)	DOUGLAS FIR LINEAR FT PER SQUARE FT
1 X 4	3 1/2"	3 1/2"	3.42	3 1/2"	3 1/2"	3.42	3 1/2"	3 1/2"	3.42
1 X 6	5 1/2"	5 1/2"	2.18	5 1/2"	5 1/2"	2.18	5 1/2"	5 1/2"	2.18
1 X 8	7 1/2"	7 1/2"	1.66	7 1/2"	7 1/2"	1.66	7 1/2"	7 1/2"	1.66

* 5/8" for Redwood

NAILING METHOD



© DELTA MILLWORKS 2016 · 4701 E. 5TH ST. AUSTIN, TX 78702 · 512-385-1812